

Author Index

Adjovi-Desouza, M., see Jambou, D. (1168) 115

Amirkhanian, J.D., Bruni, R., Waring, A.J., Navar, C. and Taeusch, H.W.
Full length synthetic surfactant proteins, SP-B and SP-C, reduce surfactant inactivation by serum (1168) 315

Andersson, C., see Miller-Podraza, H. (1168) 330

Ankrapp, D., see Ghosal, D. (1168) 299

Baker, B.L., see Brown, S.D. (1168) 13

Bally, M.B., see Parr, M.J. (1168) 249

Bayer, P., see Jambou, D. (1168) 115

Beech, J., see Fletcher, J.E. (1168) 292

Bell, J.D., see Brown, S.D. (1168) 13

Berenson, G.S., see Srinivasan, S.R. (1168) 158

Bishop, W.P., see Mathur, S.N. (1168) 130

Bjerve, K.S., see Krokan, H.E. (1168) 59

Blomhoff, R., see Östlund Farrants, A.-K. (1168) 100

Bocos, C., Castro, M., Quack, G. and Herrera, E.
Studies with etofibrate in the rat. Part II: a comparison of the effects of prolonged and acute administration on plasma lipids, liver enzymes and adipose tissue lipolysis (1168) 340

Born, E., see Mathur, S.N. (1168) 130

Brodowsky, I.D. and Oliw, E.H.
Biosynthesis of 8R-hydroperoxylinoleic acid by the fungus *Laetaria arvalis* (1168) 68

Brown, S.D., Baker, B.L. and Bell, J.D.
Quantification of the interaction of lysolecithin with phosphatidylcholine vesicles using bovine serum albumin: relevance to the activation of phospholipase A₂ (1168) 13

Bruni, R., see Amirkhanian, J.D. (1168) 315

Byers, D.M., see Xu, Z. (1168) 167

Callow, M.J. and Redgrave, T.G.
Isoforms of rat apolipoproteins and changes induced by insulin deficiency and fasting (1168) 271

Casals, C., see Pérez-Gil, J. (1168) 261

Castro, M., see Bocos, C. (1168) 340

Chou, S.-C., see Garner, S.C. (1168) 358

Coleman, R.A., see Garner, S.C. (1168) 358

Combe, N.A., see Wolff, R.L. (1168) 285

Cook, H.W., see Xu, Z. (1168) 167

Cruz, A., see Pérez-Gil, J. (1168) 261

Cruz, M.L. and Williamson, D.H.
Effects of triiodothyronine administration on dietary [¹⁴C]triolein partitioning between deposition in adipose tissue and oxidation to [¹⁴C]CO₂ in ad-libitum-fed or food-restricted rats (1168) 205

Cullis, P.R., see Parr, M.J. (1168) 249

Dannenberg, A.J., see Yang, E.K. (1168) 52

De Graan, P.N.E., see Moritz, A. (1168) 79

Dejour, N., see Jambou, D. (1168) 115

De Luca, C., see Passi, S. (1168) 190

Demandre, C., see Quoc, K.P. (1168) 94

Dubacq, J.-P., see Quoc, K.P. (1168) 94

Eichberg, J., see Zhu, X. (1168) 1

Elsenboss, L., see Thompson, J.F. (1168) 239

Entressangles, B., see Wolff, R.L. (1168) 285

Erwin, K., see Fletcher, J.E. (1168) 292

Field, F.J., see Mathur, S.N. (1168) 130

Fletcher, J.E., Erwin, K. and Beech, J.
Phenytoin increases specific triacylglycerol fatty esters in skeletal muscle from horses with hyperkalemic periodic paralysis (1168) 292

Forte, T.M., see Hara, S. (1168) 199

Fragio, C., see Roldan, E.R.S. (1168) 108

Frédenrich, A., see Jambou, D. (1168) 115

Furuta, S., see Goda, T. (1168) 153

Garner, S.C., Chou, S.-C., Mar, M.-H., Coleman, R.A. and Zeisel, S.H.
Characterization of choline metabolism and secretion by human placental trophoblasts in culture (1168) 358

Gerber, G.E., see Mangroo, D. (1168) 280

Ghosal, D., Ankrapp, D. and Keenan, T.W.
Low molecular mass GTP-binding proteins are secreted from mammary epithelial cells in association with lipid globules (1168) 299

Gispen, W.H., see Moritz, A. (1168) 79

Goda, T., Furuta, S. and Takase, S.
Dietary vitamin A modulates lecithin-retinol acyltransferase activity in developing chick intestine (1168) 153

Gotoh, N., see Noguchi, N. (1168) 348

Grandgirard, A., see Wolff, R.L. (1168) 285

Hamanaka, S., see Matsuda, K. (1168) 123

Handa, S., see Matsuda, K. (1168) 123

Hara, S., McCall, M.R. and Forte, T.M.
Re-uptake of nascent low-density lipoproteins by HepG2 cells (1168) 199

Harter, M., see Jambou, D. (1168) 115

Hayashi, M., see Horie, M. (1168) 45

Hayes, L.S., see Thompson, J.F. (1168) 239

Herrera, E., see Bocos, C. (1168) 340

Horie, M., Hayashi, M., Satoh, T., Hotta, H., Nagata, Y., Ishida, F. and Kamei, T.
An inhibitor of squalene epoxidase, NB-598, suppresses the secretion of cholesterol and triacylglycerol and simultaneously reduces apolipoprotein B in HepG2 cells (1168) 45

Hotta, H., see Horie, M. (1168) 45

Ishida, F., see Horie, M. (1168) 45

Isobe, R., see Mizukami, Y. (1168) 87

Issa-Sayegh, M., see Jambou, D. (1168) 115

Ives, D.L., see Ramesha, C.S. (1168) 37

Izumi, T., see Mori, M. (1168) 23

Jambou, D., Dejour, N., Bayer, P., Poirée, J.-C., Frédenrich, A., Issa-Sayegh, M., Adjovi-Desouza, M., Lapalus, P. and Harter, M.
Effect of human native low-density and high-density lipoproteins on prostaglandin production by mouse macrophage cell line P388D1: possible implications in pathogenesis of atherosclerosis (1168) 115

Joseph, J., see Kalyanaraman, B. (1168) 220
 Justin, A.-M., see Quoc, K.P. (1168) 94

Kalyanaraman, B., Joseph, J. and Parthasarathy, S.
 Site-specific trapping of reactive species in low-density lipoprotein oxidation: biological implications (1168) 220

Kamei, T., see Horie, M. (1168) 45
 Kanoh, H., see Mizunuma, M. (1168) 213
 Karlsson, K.-A., see Miller-Podraza, H. (1168) 330
 Kasama, T., see Matsuda, K. (1168) 123
 Kean, E.L.
 Topography of basal and stimulated biosynthesis of GlcNAc-P-P-dolichol and (GlcNAc)₂-P-P-dolichol: variation in effect of proteolysis (1168) 321

Keenan, T.W., see Ghosal, D. (1168) 299
 Keenan, T.W., see Taranto, P.A. (1168) 228
 Kodama, M., Miyata, T. and Yokoyama, T.
 Crystalline cylindrical structures of Na⁺-bound dimyristoylphosphatidylglycerol as revealed by microcalorimetry and electron microscopy (1168) 243

Krokan, H.E., Bjerve, K.S. and Mørk, E.
 The enteral bioavailability of eicosapentaenoic acid and docosahexaenoic acid is as good from ethyl esters as from glycerol esters in spite of lower hydrolytic rates by pancreatic lipase in vitro (1168) 59

Kudo, R., see Mizunuma, M. (1168) 213
 Kühn, H., Thiele, B.J., Ostareck-Lederer, A., Stender, H., Suzuki, H., Yoshimoto, T. and Yamamoto, S.
 Bacterial expression, purification and partial characterization of recombinant rabbit reticulocyte 15-lipoxygenase (1168) 73

Kusunose, E., see Sawamura, A. (1168) 30
 Kusunose, M., see Sawamura, A. (1168) 30

Lapalus, P., see Jambou, D. (1168) 115
 Lira, M.E., see Thompson, J.F. (1168) 239
 Liu, M. and Subbaiah, P.V.
 Activation of plasma lysolecithin acyltransferase reaction by apolipoproteins A-I, C-I and E (1168) 144

Lloyd, D.B., see Thompson, J.F. (1168) 239

Mangroo, D., Steele, L., Rachubinski, R.A. and Gerber, G.E.
 Specific labeling of *Candida tropicalis* peroxisomal proteins with photoreactive fatty-acid derivatives (1168) 280

Mar, M.-H., see Garner, S.C. (1168) 358
 Mathur, S.N., Born, E., Bishop, W.P. and Field, F.J.
 Effect of okadaic acid on apo B and apo A-I secretion by CaCo-2 cells (1168) 130

Matsuda, K., Taki, T., Hamanaka, S., Kasama, T., Rokukawa, C., Handa, S. and Yamamoto, N.
 Glycosphingolipid compositions of human T-lymphotropic virus type I (HTLV-I) and human immunodeficiency virus (HIV)-infected cell lines (1168) 123

Mazliak, P., see Quoc, K.P. (1168) 94
 McCall, M.R., see Hara, S. (1168) 199
 Meguro, H., see Uzawa, H. (1168) 253
 Menge, U., see Stöcklein, W. (1168) 181
 Miller-Podraza, H., Andersson, C. and Karlsson, K.-A.
 New method for the isolation of polyglycosylceramides from human erythrocyte membranes (1168) 330

Minakami, S., see Mizukami, Y. (1168) 87
 Misuraca, G., see Napolitano, A. (1168) 175
 Miyata, T., see Kodama, M. (1168) 243
 Mizukami, Y., Sumimoto, H., Isobe, R. and Minakami, S.
 ω -Hydroxylation of lipoxin B₄ by human neutrophil microsomes: identification of ω -hydroxy metabolite of lipoxin B₄ and catalysis by leukotriene B₄ ω -hydroxylase (cytochrome P-450LTB ω) (1168) 87

Mizunuma, M., Tanaka, S., Kudo, R. and Kanoh, H.
 Phospholipase D activity of human amnion cells stimulated with phorbol ester and bradykinin (1168) 213

Mori, M., Izumi, T. and Shimizu, T.
 Energy-dependent export of leukotriene B₄ in *Xenopus* oocytes (1168) 23

Moritz, A., Westerman, J., De Graan, P.N.E., Payrastre, B., Gispen, W.H. and Wirtz, K.W.A.
 Characterization of phosphatidylinositol-4-phosphate 5-kinase activities from bovine brain membranes (1168) 79

Mørk, E., see Krokan, H.E. (1168) 59

Nagata, Y., see Horie, M. (1168) 45
 Napolitano, A., Palumbo, A., Misuraca, G. and Prota, G.
 Inhibitory effect of melanin precursors on arachidonic acid peroxidation (1168) 175

Navar, C., see Amirkhanian, J.D. (1168) 315
 Nazzaro-Porro, M., see Passi, S. (1168) 190
 Niki, E., see Noguchi, N. (1168) 348
 Nilsson, A., see Östlund Farrants, A.-K. (1168) 100
 Nishida, Y., see Uzawa, H. (1168) 253
 Noguchi, N., Gotoh, N. and Niki, E.
 Dynamics of the oxidation of low density lipoprotein induced by free radicals (1168) 348

Noguchi, T., see Uzawa, H. (1168) 253

Ohrui, H., see Uzawa, H. (1168) 253
 Oliw, E.H., see Brodowsky, I.D. (1168) 68
 Ostareck-Lederer, A., see Kühn, H. (1168) 73
 Östlund Farrants, A.-K., Nilsson, A., Trøen, G., Blomhoff, R. and Pedersen, J.I.
 The effect of retinoids and clofibrate acid on the peroxisomal oxidation of palmitic acid and of 3 α ,7 α ,12 α -trihydroxy-5 β -cholestanoic acid in rat and rabbit hepatocytes (1168) 100

Palmer, F.B.S.C., see Xu, Z. (1168) 167
 Palumbo, A., see Napolitano, A. (1168) 175
 Parr, M.J., Bally, M.B. and Cullis, P.R.
 The presence of G_{MI} in liposomes with entrapped doxorubicin does not prevent RES blockade (1168) 249

Parthasarathy, S., see Kalyanaraman, B. (1168) 220
 Passi, S., Picardo, M., De Luca, C., Nazzaro-Porro, M., Rossi, L. and Rotilio, G.
 Saturated dicarboxylic acids as products of unsaturated fatty acid oxidation (1168) 190

Payrastre, B., see Moritz, A. (1168) 79
 Pedersen, J.I., see Östlund Farrants, A.-K. (1168) 100
 Pérez-Gil, J., Cruz, A. and Casals, C.
 Solubility of hydrophobic surfactant proteins in organic solvent/water mixtures. Structural studies on SP-B and SP-C in aqueous organic solvents and lipids (1168) 261

Picardo, M., see Passi, S. (1168) 190
 Poirée, J.-C., see Jambou, D. (1168) 115
 Potts, M., see Taranto, P.A. (1168) 228
 Prota, G., see Napolitano, A. (1168) 175

Quack, G., see Bocos, C. (1168) 340
 Quoc, K.P., Dubacq, J.-P., Justin, A.-M., Demandre, C. and Mazliak, P.
 Biosynthesis of eukaryotic lipid molecular species by the cyanobacterium *Spirulina platensis* (1168) 94

Rachubinski, R.A., see Mangroo, D. (1168) 280
 Radhakrishnamurthy, B., see Srinivasan, S.R. (1168) 158
 Radominska, A., see Yang, E.K. (1168) 52
 Ramesha, C.S. and Ives, D.L.
 Detection of arachidonoyl-selective phospholipase A₂ in human neutrophil cytosol (1168) 37

Redgrave, T.G., see Callow, M.J. (1168) 271

Rokukawa, C., see Matsuda, K. (1168) 123

Roldan, E.R.S. and Fragio, C.
Phospholipase A₂ activity and exocytosis of the ram sperm acrosome: regulation by bivalent cations (1168) 108

Rossi, L., see Passi, S. (1168) 190

Rotilio, G., see Passi, S. (1168) 190

Satoh, T., see Horie, M. (1168) 45

Satouchi, K., see Sawamura, A. (1168) 30

Sawamura, A., Kusunose, E., Satouchi, K. and Kusunose, M.
Catalytic properties of rabbit kidney fatty acid ω -hydroxylase cytochrome P-450ka2 (CYP4A7) (1168) 30

Schmid, R.D., see Stöcklein, W. (1168) 181

Sebedio, J.-L., see Wolff, R.L. (1168) 285

Shimizu, T., see Mori, M. (1168) 23

Spence, M.W., see Xu, Z. (1168) 167

Srinivasan, S.R., Xu, J.-H., Vijayagopal, P., Radhakrishnamurthy, B. and Berenson, G.S.
Injury to the arterial wall of rabbits produces proteoglycan variants with enhanced low-density lipoprotein-binding property (1168) 158

Steele, L., see Mangroo, D. (1168) 280

Stender, H., see Kühn, H. (1168) 73

Stöcklein, W., Sztajer, H., Menge, U. and Schmid, R.D.
Purification and properties of a lipase from *Penicillium expansum* (1168) 181

Storch, J., see Sunderland, J.E. (1168) 307

Subbaiah, P.V., see Liu, M. (1168) 144

Sumimoto, H., see Mizukami, Y. (1168) 87

Sunderland, J.E. and Storch, J.
Effect of phospholipid headgroup composition on the transfer of fluorescent long-chain free fatty acids between membranes (1168) 307

Suzuki, H., see Kühn, H. (1168) 73

Sztajer, H., see Stöcklein, W. (1168) 181

Taeusch, H.W., see Amirkhanian, J.D. (1168) 315

Takase, S., see Goda, T. (1168) 153

Taki, T., see Matsuda, K. (1168) 123

Tanaka, S., see Mizunuma, M. (1168) 213

Taranto, P.A., Keenan, T.W. and Potts, M.
Rehydration induces rapid onset of lipid biosynthesis in desiccated *Nostoc commune* (Cyanobacteria) (1168) 228

Thiele, B.J., see Kühn, H. (1168) 73

Thompson, J.F., Lira, M.E., Lloyd, D.B., Hayes, L.S., Williams, S. and Elsenboss, L.
Cholesterol 7 α hydroxylase promoter separated from cyclophilin pseudogene by Alu sequence (1168) 239

Trøen, G., see Östlund Farrants, A.-K. (1168) 100

Uzawa, H., Noguchi, T., Nishida, Y., Ohru, H. and Meguro, H.
Determination of the lipase stereoselectivities using circular dichroism (CD); lipases produce chiral di-*O*-acylglycerols from achiral tri-*O*-acylglycerols (1168) 253

Vijayagopal, P., see Srinivasan, S.R. (1168) 158

Waring, A.J., see Amirkhanian, J.D. (1168) 315

Westerman, J., see Moritz, A. (1168) 79

Williams, S., see Thompson, J.F. (1168) 239

Williamson, D.H., see Cruz, M.L. (1168) 205

Winder, B.S., see Yang, E.K. (1168) 52

Wirtz, K.W.A., see Moritz, A. (1168) 79

Wolff, R.L., Combe, N.A., Entressangles, B., Sebedio, J.-L. and Grandgirard, A.
Preferential incorporation of dietary *cis*-9, *cis*-12, *trans*-15 18:3 acid into rat cardiolipins (1168) 285

Xu, J.-H., see Srinivasan, S.R. (1168) 158

Xu, Z., Byers, D.M., Palmer, F.B.S.C., Spence, M.W. and Cook, H.W.
Limited metabolic interaction of serine with ethanolamine and choline in the turnover of phosphatidylserine, phosphatidyl-ethanolamine and plasmalogens in cultured glioma cells (1168) 167

Yamamoto, N., see Matsuda, K. (1168) 123

Yamamoto, S., see Kühn, H. (1168) 73

Yang, E.K., Radominska, A., Winder, B.S. and Dannenberg, A.J.
Dietary lipids coinduce xenobiotic metabolizing enzymes in rat liver (1168) 52

Yokoyama, T., see Kodama, M. (1168) 243

Yoshimoto, T., see Kühn, H. (1168) 73

Zeisel, S.H., see Garner, S.C. (1168) 358

Zhu, X. and Eichberg, J.
Molecular species composition of glycerophospholipids in rat sciatic nerve and its alteration in streptozotocin-induced diabetes (1168) 1

